

**CUSTOMER ASSISTANCE GUIDE
BUILDING PERMIT APPLICATION SUBMITTAL REQUIREMENTS**

RESIDENTIAL ADDITIONS

(Bedroom – Family Room – Kitchen – Attached Garage – Etc.)

- Please read all of the following information.
- The following is a check list. You must have a “checkmark” in all the sections listed below prior to submitting your applications

____ “Affidavit of Exemption” (See attached form) If you are hiring a contractor to construct your addition and they have workers’ compensation, have the contractor or their insurance carrier provide us with a “Certificate of Insurance” showing proof of such. If the homeowner or a contractor without workers’ compensation is constructing the addition, the attached form must be completed and notarized.

____ A site plan showing the proposed addition, the outside dimensions of the structure, the distances in feet, to the front, sides, and rear property lines.

____ Three (3) sets of complete construction documents that show in detail code compliance for all of the work proposed to include but not limited to the following information.

- ____ Floor plan showing size of all rooms
- ____ Footing detail including depth below frost line, thickness, width, and rebar
- ____ Type of foundation, showing type of masonry, waterproofing and anchorage of addition to foundation.
- ____ Roof rafter size – species and grade of wood
- ____ Rafter spacing (16” on center, 24” on center, etc.)
- ____ Thickness and type of roof sheathing
- ____ Ceiling joist size and spacing
- ____ Floor joist size and spacing
- ____ Wall sections showing top and bottom plates and headers
- ____ Location and size of all beams
- ____ Sizes of all doors
- ____ Window type – including sizes and the net clear opening dimensions of all sleeping room windows (emergency egress).
- ____ Smoke alarms – number and placement
- ____ Insulation – U - Values for windows, R – Values for exterior walls, attic and foundation
- ____ Heating if applicable
- ____ Plumbing if applicable
- ____ Electrical
- ____ Stairs (riser height maximum 8¼” tread depth minimum 9”)
- ____ Stairs 0 handrail (height from nose of thread min 34” max 38”)
- ____ Guardrail (34” minimum measured vertically from nose of thread)
- ____ Width of stairs (36” minimum)

____ Completed building permit application

BIU will review plans submitted to determine code compliance. If the minimum submittal requirements are not met, we will ask the applicant to supply additional information. If the minimum requirements are met, the plans will be marked “approved”. A building permit will be issued and the applicant will be notified of the inspection fees and when they can pick-up the permit at eh Municipal Building. All fees shall be paid prior to the issuance of the permit. Then use the inspection procedures provided to have all of the required inspections performed.